PUT YOUR SERVICE CENTER INTO OVERDRIVE.

Get your automotive service center connected with the next generation of commercial door systems from LiftMaster®.











ACCELERATE PRODUCTIVITY.

A complete LiftMaster® solution works seamlessly to improve connectivity and productivity. Get started with a system customized for your service center—optimal for heavy-industrial and high-cycle applications.

my Q

myQ®

Enables secure monitoring and control of your operator with a smartphone, tablet or computer.

Security+ 2.0

BUILT-IN SECURITY+ 2.0® RADIO RECEIVER

Provides increased security, ensuring that the door opens only for the individual pressing the remote.



CAR-DEALER MODE

Allows for full access to vehicles while saving facility energy. The door will remain at the mid-stop, even if it receives multiple "open" signals from incoming customers.



MAINTENANCE ALERT SYSTEM

Provides reminder to contact your LiftMaster Dealer for routine maintenance.



GEARHEAD HOIST (GH) HEAVY INDUSTRIAL

Side mounts to the wall and includes a floor-level chain hoist to ease manual operation of heavy-industrial and high-cycle applications in an emergency or power outage.

HOIST (H) GENERAL INDUSTRIAL

Side mounts to the wall and includes a floor-level chain hoist to ease manual operation in an emergency or power outage.

GEARHEAD TROLLEY (GT) HEAVY INDUSTRIAL

Directly attaches to heavy-industrial and high-cycle standard-lift sectional overhead doors. For applications that require smooth operation with extended rail lengths, consider the HCTDCUL.


GET ACCESS TO ADDED VALUE.

Experience the many benefits of a complete LiftMaster® solution.



Increases the life expectancy of the door, reduces service costs and eliminates the potential for doors to raise too quickly or slam when being closed.

Reduces the opportunity for injury to occur when opening or closing a commercial door manually.



UNRIVALED AUTOMATION AND CONNECTIVITY SOLUTIONS.

Automate and connect your service center with a seamless, UL $^{\circ}$ 325-compliant solution for total facility access management, with the ability to manage your doors from anywhere.



myQ® MOBILE APP

Download the myQ mobile app and easily register your account at MyLiftMaster.com.



EASY SETUI

Alerts can be received as email or pop-up (push) notifications on a mobile device, ensuring the status of your commercial door.




COMPLETE CONNECTIVITY

Connect easily to the Internet via your current business network.

ENHANCED SAFETY AND EFFICIENCY.

Elevate your door control with these accessories.



RED/GREEN TRAFFIC LIGHT

Notifies you when the door reaches the open position and it's safe to enter or exit, eliminating the potential for costly accidents.

2 3-BUTTON STATION WITH MAINTENANCE ALERT


Allows you to open, close and stop the door quickly. An indicator light lets you know when it's time for routine maintenance.

2 LIGHT CURTAINS

Creates 22 infrared crossbeams to form an invisible zone of protection across the plane of the door.

▲ SAFETY SENSORS

Will stop the door from closing if an obstruction is detected.



CONFIGURE YOUR SYSTEM.

SE G

SELECT OPERATOR MODEL TYPE

 \square GT: Gearhead Trolley \square GH: Gearhead Hoist

☐ T: Trolley ☐ H: Hoist

HCTDCUL: SpecialtyOverhead DC Operator

2

SELECT ENTRAPMENT PROTECTION DEVICES

LiftMaster® offers a variety of entrapment protection devices such as:

☐ CPS-U: Photo Eye, Standard

 \square CPS-OPEN4: Photo Eye, NEMA 4X, Flexible

☐ CPS-RPEN4: Photo Eye, NEMA 4X, Reflective

 \square CPS-UN4: Photo Eyes, NEMA 4

 \square CPSUN4G: Photo Eyes, HCTDCUL

 \square OES: Optical Edge System

 \square CPS3CARD: to monitor second entrapment protection device

☐ LC-36A: Light Curtains

3

SELECT ACCESSORIES

A. SELECT DOOR SAFETY ACCESSORIES

 $\ \square$ RGL-CTL: High-Intensity LED Traffic Light

□ 02-401M: Mushroom-Button Control Station

 $\hfill\Box$ TLS1CARD: Plug-In Interface Card for Timer/

Light Control

 $\hfill \Box$ 50-HERK2: Motion Detector (recommended for

use with 50-HERK-RC2 Remote Control)

□ 02-111: Pull-Switch Control

□ 50450: Interlock Switch for Sectional Doors

☐ RGL24LY: Red/Green Traffic Light

B. SELECT REMOTE CONTROLS

☐ 811LM: Universal DIP Single-Button

Remote Control

 \square 813LM: Universal DIP 3-Button, 3-Color

Remote Control for Open/Close/Stop

☐ 893MAX: 3-Button Remote Control

C. SELECT CONNECTED ACCESSORIES

 \square 823LM: Remote Light Switch

■ 825LM: Remote Light Control

■ 828LM: Internet Gateway

 \square 829LM: Door and Gate Monitor

□ 819LMB: myQ® Home Bridge

□ 827LM: myQ Remote LED Light

READY TO BUY?



Contact Your LiftMaster Dealer

K

Find a Dealer at LiftMaster.com

